




Simba Athena JDBC Driver with SQL Connector

Migration Guide

Simba Technologies Inc.

April 6, 2018



Copyright © 2018 Simba Technologies Inc. All Rights Reserved.

Information in this document is subject to change without notice. Companies, names and data used in examples herein are fictitious unless otherwise noted. No part of this publication, or the software it describes, may be reproduced, transmitted, transcribed, stored in a retrieval system, decompiled, disassembled, reverse-engineered, or translated into any language in any form by any means for any purpose without the express written permission of Simba Technologies Inc.

Trademarks

Simba, the Simba logo, SimbaEngine, and Simba Technologies are registered trademarks of Simba Technologies Inc. in Canada, United States and/or other countries. All other trademarks and/or servicemarks are the property of their respective owners.

Contact Us

Simba Technologies Inc.
938 West 8th Avenue
Vancouver, BC Canada
V5Z 1E5

Tel: +1 (604) 633-0008

Fax: +1 (604) 633-0004

www.simba.com

About This Guide

Purpose

This document contains information to help you successfully migrate from the 1.x version of the driver to the 2.x version of the driver.

This document lists differences between the drivers that may disrupt workflows when you migrate from the 1.x driver to the 2.x driver, and provides recommendations on how to recreate those workflows for a successful migration.

Audience

The guide is intended for end users of the Simba Athena JDBC Driver.

Document Conventions

Italics are used when referring to book and document titles.

Bold is used in procedures for graphical user interface elements that a user clicks and text that a user types.

`Monospace font` indicates commands, source code or contents of text files.

Note:

A text box with a pencil icon indicates a short note appended to a paragraph.

! Important:

A text box with an exclamation mark indicates an important comment related to the preceding paragraph.

Table of Contents

JDBC Driver Class Name	5
Connection URL	6
Specifying the Host and Port	6
Connection String Attributes Separator	6
Driver Configuration Options	7
ResultSetMetaData Differences for API Calls	8
Data Type for TIME Literal in Query Result	11

JDBC Driver Class Name

The drivers use different class names.

Version 1.x	Version 2.x
<code>com.amazonaws.athena.jdbc.AthenaDriver</code>	<code>com.simba.athena.jdbc.Driver</code>

If you are using the following line in your code to explicitly load the driver class in your source code

```
Class.forName("com.amazonaws.athena.jdbc.AthenaDriver");
```

then you will need to change it to

```
Class.forName("com.simba.athena.jdbc.Driver");
```

Connection URL

Specifying the Host and Port

The 2.x version provides an alternative way to specify the AWS region.

1.x Version	2.x Version
<pre>jdbc:awsathena://athena. {REGION}.amazonaws.com:443</pre> <p>Where {REGION} is a region identifier, such as <code>us-west-2</code></p>	<pre>jdbc:awsathena://athena. {REGION}.amazonaws.com:443 Or jdbc:awsathena://AwsRegion= {REGION}</pre> <p>Where {REGION} is a region identifier, such as <code>us-west-2</code>. If {REGION} is specified using both endpoint URL and <code>AwsRegion</code>, the value specified in <code>AwsRegion</code> takes precedence.</p>

Changes are not required in this case, but be aware the 2.x version provides an alternative way to specify the AWS region in the connection URL.

Connection String Attributes Separator

The drivers use different attribute separators in their connection URLs.

1.x Version	2.x Version
& and ?	;

The following is an example connection URL using the 1.x version syntax:

```
jdbc:awsathena://athena.us-west-1.amazonaws.com:443?s3_
staging_dir=s3://query-resultsbucket/folder/&query_results_
encryption_option=SSE_S3
```

The following shows the equivalent URL constructed using the 2.x version syntax:

```
jdbc:awsathena://athena.us-west-1.amazonaws.com:443;s3_
staging_dir=s3://query-resultsbucket/folder/;query_results_
encryption_option=SSE_S3
```

Driver Configuration Options

There are some differences in the supported connection properties for the drivers.

Version 1.x Option	Version 2.x Option	Possible Values	
log_path	LogPath	No difference.	
log_level	LogLevel	1.x	2.x
		OFF	0
		FATAL	1
		ERROR	2
		WARNING	3
		INFO	4
		DEBUG	5
		TRACE	6
retry_base_delay	Not configurable.		
retry_max_backoff_time	Not configurable.		

The following is an example connection URL for enabling logging using the syntax for version 1.x

```
jdbc:awsathena://athena.us-west-1.amazonaws.com:443?s3_staging_dir=s3://query-resultsbucket/folder/&log_level=TRACE&log_path=/tmp
```

The following is the equivalent connection URL using the syntax for version 2.x

```
jdbc:awsathena://athena.us-west-1.amazonaws.com:443;s3_staging_dir=s3://query-resultsbucket/folder/;LogLevel=6;LogPath=/tmp
```

ResultSetMetaData Differences for API Calls

The drivers return different metadata for the following API calls.

getCatalogs

Column Name	Version 1.x		Version 2.x	
	Metadata	Value	Metadata	Value
TABLE_CAT	Type Name	varchar	Type Name	VARCHAR
	Type ID	-16	Type ID	12
	Display Size	1073741824	Display Size	128
	Precision	1073741824	Precision	128
	Scale	0	Scale	0

getColumns

Column Name	Version 1.x		Version 2.x	
	Metadata	Value	Metadata	Value
TABLE_CAT TABLE_SCHEM TABLE_NAME COLUMN_NAME TYPE_NAME IS_AUTOINCREMENT IS_GENERATEDCOLUMN	Type Name	varchar	Type Name	VARCHAR
	Type ID	-16	Type ID	12
	Display Size	1073741824	Display Size	128
	Precision	1073741824	Precision	128
	Scale	0	Scale	0

Column Name	Version 1.x		Version 2.x	
REMARKS COLUMN_DEF IS_NULLABLE SCOPE_CATALOG SCOPE_SCHEMA SCOPE_TABLE	Metadata	Value	Metadata	Value
	Type Name	varchar	Type Name	VARCHAR
	Type ID	-16	Type ID	12
	Display Size	1073741824	Display Size	254
	Precision	1073741824	Precision	254
	Scale	0	Scale	0
SOURCE_DATA_TYPE	Metadata	Value	Metadata	Value
	Type Name	smallint	Type Name	INGEGER
	Type ID	5	Type ID	4
	Display Size	6	Display Size	11
	Precision	5	Precision	10
	Scale	0	Scale	0

getSchemas

Column Name	Version 1.x		Version 2.x	
TABLE_SCHEM TABLE_CATALOG	Metadata	Value	Metadata	Value
	Type Name	varchar	Type Name	VARCHAR
	Type ID	-16	Type ID	12
	Display Size	1073741824	Display Size	128
	Precision	1073741824	Precision	128
	Scale	0	Scale	0

getTables

Column Name	Version 1.x		Version 2.x	
TABLE_CAT TABLE_SCHEM TABLE_NAME TABLE_TYPE TYPE_CAT TYPE_SCHEM TYPE_NAME SELF_REFERENCING_ COL_NAME REF_GENERATION	Metadata	Value	Metadata	Value
	Type Name	varchar	Type Name	VARCHAR
	Type ID	-16	Type ID	12
	Display Size	1073741824	Display Size	128
	Precision	1073741824	Precision	128
	Scale	0	Scale	0
	REMARKS	Metadata	Value	Metadata
Type Name		varchar	Type Name	VARCHAR
Type ID		-16	Type ID	12
Display Size		1073741824	Display Size	254
Precision		1073741824	Precision	254
Scale		0	Scale	0

Data Type for TIME Literal in Query Result

For a query such as `SELECT TIME '12:00:00'`, the drivers use different data types in the query result set for the TIME literal column.

Version 1.x	Version 2.x
TIME	VARCHAR